

2024-6576
2025-05-01

CITOWETT® PLUS

Non-ionic spreader sticker adjuvant for improving Weed Control with:

**ALLY®
ATRAZINE
BASAGRAN®
TELAR®**

**MUSTER®
PYRAMIN® FL
REFINE® EXTRA
PINNACLE®**

**COMMERCIAL (AGRICULTURAL)
GUARANTEE:**

Octylphenoxy polyethoxy ethanol 50%

**REGISTRATION NO.: 12766
PEST CONTROL PRODUCTS ACT**



CAUTION

FLAMMABLE

NET CONTENTS: 3.64 L

READ THE LABEL AND BOOKLET BEFORE USING.

BASF Agricultural Solutions Canada Inc.
510 - 28 Quarry Park Blvd. SE
Calgary, Alberta T2C 5P9
1-877-371-2273

Distributed by
DuPont Canada Inc.
Box 2300 Streetsville,
Mississauga, ON L5M 2J4
1-800-667-3925

CITOWETT® PLUS is a registered trademark of BASF SE, used under license by BASF Agricultural Solutions Canada Inc.

GENERAL INFORMATION

CITOWETT PLUS spreader sticker adjuvant is a non-ionic water soluble product that enhances the effectiveness of agricultural chemicals. Under certain conditions, the use of **CITOWETT PLUS** is recommended with **BASAGRAN**. It is also recommended with **ALLY**, **ATRAZINE**, **TELAR**, **MUSTER**, **PYRAMIN FL**, **PINNACLE** and **REFINE EXTRA**.

HOW IT WORKS

CITOWETT PLUS reduces the surface tension of the spray and increases the adherence of plant protection products to the leaf surface, preventing the product from dripping off.

When **CITOWETT PLUS** is added to a spray mixture, foliage wettability is greatly improved on the surface of either "waxy" or "hairy" leaf surfaces or buds. The adherence qualities of **CITOWETT PLUS** result in longer spray activity. The absorption of post-emergence herbicides is improved by the addition of **CITOWETT PLUS**.

With **CITOWETT PLUS** dusty plants are covered better with spray and the herbicide also reaches depressions in the leaf's surface and adheres to them.

COMPATIBILITY

CITOWETT PLUS is completely compatible with **ALLY**, **ATRAZINE**, **BASAGRAN**, **TELAR**, **MUSTER**, **PYRAMIN FL**, **PINNACLE** and **REFINE EXTRA**. **CITOWETT PLUS** performs well in both hard and soft water.

DIRECTIONS FOR USE

MIXING CITOWETT PLUS

1. Fill the spray tank about half full with water and add the required herbicide while the agitator is running or by-pass agitation is operating.
2. Add other tank mix components in the following order:
 - (a) Water soluble bags - make sure water soluble bags are completely dissolved before adding next tank mix component.
 - (b) Dry flowables - make sure herbicide is completely in suspension before adding next tank mix component.
 - (c) Emulsifiable concentrates.
3. Complete the filling of the tank with water and finally add **CITOWETT PLUS** under constant agitation. If tank mixing a drift control agent or anti-foaming agent, add it last.
4. For repeat loads, drain the tank to 10% or less of capacity. Follow instructions on specific product labels for mixing repeat loads.

IMPORTANT

CAREFULLY FOLLOW LABEL DIRECTIONS FOR CROP LIMITATIONS, RATES AND MIXING INSTRUCTIONS FOR: ALLY, ATRAZINE, BASAGRAN, TELAR, MUSTER, PYRAMIN FL, PINNACLE AND REFINE EXTRA WHEN USING CITOWETT PLUS. DO NOT CUT THE DOSAGE RATES OF ANY OF THE ABOVE PRODUCTS.

RATES

CITOWETT PLUS should be mixed at the rates outlined below for the following products:

BASAGRAN, PYRAMIN FL, ATRAZINE

When using hard water, apply 250 mL of **CITOWETT PLUS** per 100 L of spray solution (i.e. 2.5 L/1000 L of spray solution). With soft water, the rate of **CITOWETT PLUS** may be lowered to 125 mL/100 L (1.25 L/1000 L of spray solution).

PINNACLE, TELAR

Add 100 mL **CITOWETT PLUS** per 100 L of spray solution (i.e. 1.0 L/1000 L of spray solution).

ALLY, MUSTER, REFINE EXTRA

Add **CITOWETT PLUS** as the last ingredient at the rate of 200 mL per 100 litres of spray volume (i.e. 2.0 L/1000 L of spray solution). Antifoaming agents may be required.

PRECAUTIONS

1. **KEEP OUT OF REACH OF CHILDREN.**
2. Do not take internally.
3. Avoid inhalation of vapour, dust or spray mist and contact with eyes, skin or clothing.
4. Wash thoroughly after handling and before eating, drinking or smoking.
5. If clothing becomes contaminated, remove and wash separately from household laundry before re-use.
6. Do not contaminate domestic or irrigation water, lakes, streams and ponds by the cleaning of equipment or the disposal of wastes.
7. Clean spray equipment thoroughly after use.

8. **CAUTION:** Do not graze the treated immature crops or cut for hay; there are not sufficient data available to support such use.

FIRST AID INSTRUCTIONS

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

Treat symptomatically.

STORAGE

1. Store in original, tightly closed container.
2. Do not ship or store near food, feed, seed, fertilizers and pesticides.
3. Store in cool, dry, locked, well-ventilated area without floor drain.
4. Herbicides should be shipped or stored separately from other pesticides to avoid cross-contamination.
5. **CITOWETT PLUS** may be stored for a minimum of two years at any temperature without loss of activity.

DISPOSAL

Do not reuse this container for any purpose. This is a recyclable container, and is to be disposed of at a container collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site. Before taking the container to the collection site:

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Make the empty, rinsed container unsuitable for any further use.

If there is no container collection site in your area, dispose of the container in accordance with provincial requirements.

For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

BASAGRAN® and PYRAMIN® FL are registered trademarks of BASF SE, used under license by BASF Agricultural Solutions Canada Inc.

®All other products listed are registered trademarks of their respective companies.

CITOWETT® PLUS

Non-ionic spreader sticker adjuvant for improving Weed Control with:

**ALLY®
ATRAZINE
BASAGRAN®
TELAR®**

**MUSTER®
PYRAMIN® FL
REFINE® EXTRA
PINNACLE®**

**COMMERCIAL (AGRICULTURAL)
GUARANTEE:**

Octylphenoxyethoxy ethanol 50%

**REGISTRATION NO.: 12766
PEST CONTROL PRODUCTS ACT**



CAUTION

FLAMMABLE

NET CONTENTS: 3.64 L

READ THE LABEL AND BROCHURE BEFORE USING.

BASF Agricultural Solutions Canada Inc.
510 - 28 Quarry Park Blvd. SE
Calgary, Alberta T2C 5P9
1-877-371-2273

Distributed by DuPont Canada Inc.
Box 2300 Streetsville,
Mississauga, ON L5M 2J4
1-800-667-3925

CITOWETT® PLUS is a registered trademark of BASF SE, used under license by BASF Agricultural Solutions Canada Inc.

PRECAUTIONS

1. **KEEP OUT OF REACH OF CHILDREN.**
2. Do not take internally.
3. Avoid inhalation of vapour, dust or spray mist and contact with eyes, skin or clothing.
4. Wash thoroughly after handling and before eating, drinking or smoking.
5. If clothing becomes contaminated, remove and wash separately from household laundry before re-use.
6. Do not contaminate domestic or irrigation water, lakes, streams and ponds by the cleaning of equipment or the disposal of wastes.
7. Clean spray equipment thoroughly after use.
8. **CAUTION:** Do not graze the treated immature crops or cut for hay; there are not sufficient data available to support such use.

FIRST AID INSTRUCTIONS

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

Treat symptomatically.

STORAGE

1. Store in original, tightly closed container.
2. Do not ship or store near food, feed, seed, fertilizers and pesticides.
3. Store in cool, dry, locked, well-ventilated area without floor drain.
4. Herbicides should be shipped or stored separately from other pesticides to avoid cross-contamination.
5. **CITOWETT PLUS** may be stored for a minimum of two years at any temperature without loss of activity.

DISPOSAL

Do not reuse this container for any purpose. This is a recyclable container, and is to be disposed of at a container collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site. Before taking the container to the collection site:

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Make the empty, rinsed container unsuitable for any further use.

If there is no container collection site in your area, dispose of the container in accordance with provincial requirements.

For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.