

2018-6297
2019-04-11

TIMBER FUME®
A FUMIGANT FOR CONTROLLING DECAY IN WOOD

LIQUID

INDUSTRIAL

DANGER



POISON



CORROSIVE

READ THE LABEL BEFORE USING

REGISTRATION NO. 14588 PEST CONTROL PRODUCTS ACT

ACTIVE INGREDIENT: Chloropicrin 99%

TIMBER SPECIALITES LIMITED
35 Crawford Crescent, PO Box 520
Campbellville, ON L0P 1B0
(905) 854-2244

NET CONTENTS: 68 KG

2018-6297
2019-04-11

**PRECAUTIONS:
KEEP OUT OF REACH OF CHILDREN
POISONOUS LIQUID & VAPOR**

Vapors can be fatal if inhaled. Lachrymatory and highly toxic. Do not breathe vapors. Contact can cause burns. Do not get in eyes, on skin, or on clothing. Get medical attention in case of accident. Do not use indoors without respirator or gas mask as described below and adequate ventilation. May be fatal if absorbed through the skin.

Wear a long-sleeved shirt, long pants, shoes plus socks, chemical-resistant gloves, and a respirator during mixing, loading, transfer, application or any other handling activities. The respirator must be a NIOSH approved full facepiece air-purifying respirator equipped with an organic (OV, NIOSH approval prefix TC-23C) cartridge and a particulate pre-filter (Type N, R, P, or HE, NIOSH approval number prefix TC-84A), or a gas mask with a canister approved for organic vapour (NIOSH approval number prefix TC- 14G). The respiratory protection must fit properly. Any obstruction to a proper fit should be removed (for example, beard, long sideburns).

Do not allow Timber Fume or its vapors to come into contact with any desirable living plants. Since Timber Fume may be corrosive under certain conditions, flush equipment with kerosene or fuel oil. Do not use magnesium alloy or aluminum for handling equipment or containers. **DO NOT USE WATER.**

This product is toxic to wildlife. Apply only as specified on this label.

HANDLER USE PRECAUTIONS:

Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing immediately if pesticide comes in contact with skin through soaked clothing or spills. Then wash skin thoroughly and put on clean clothing. Wash contaminated clothing separately from other clothes before reuse. Store personal protective equipment out of reach of children and pets. Avoid touching 'clean' surfaces while wearing personal protective equipment (e.g. steering wheel, door handles, counter tops), or thoroughly clean these surfaces afterwards with water and detergent. Remove personal protective equipment immediately after handling this product. Wash before reuse. Remove personal protective equipment in a predetermined area separate from living or working areas. Wash the outside of the gloves before removing. As soon as possible, wash thoroughly and change into clean clothing. Avoid touching eyes and face until you have washed your hands. Never use the mouth to siphon product from containers or to blow out clogged lines, nozzles, etc. Respirators should be stored in a sealed plastic bag until the next use, to preserve the life of the filter. Regulatory change respirator cartridge filters. Repair/replace torn or broken personal protective equipment. Use hot water, heavy-duty liquid detergent, the highest water level setting, and the longest wash cycle. Keep and wash personal protective equipment separately from other laundry. If heavily soiled, wash personal protective equipment two or three times. After washing, run the washing machine through a complete cycle with detergent. If possible, line-dry the clothing. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product. Do not reuse them.

FIRST AID:

If on skin or clothing: take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. **If in eyes:** open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. **If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. **If swallowed:** Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat Symptomatically.

DIRECTIONS FOR USE:

For remedial treatment of wooden poles/timbers:

Large structural timbers have so many different end uses that the groundline area of 102 cm circumference standing poles is taken as a guide and example for application of this product.

-Do not treat structures/beams indoors;

2018-6297
2019-04-11

-Do not drill an application hole through seasoning checks to apply product. If the hole intersects a check, plug the hole and drill another. If more than 2 treatment holes intersect an internal void or rot pocket, re-drill the holes farther up the pole into relatively solid wood. - DO NOT permit entry into spill or clean-up area by unprotected persons until the air concentration of chloropicrin is measured to be less than 0.15 ppm.
-DO NOT apply this product to wood that will be used in water.

For internal decay bore four or five holes 2 cm in diameter and a length about 2 ½ times the radius of the wood at about 45° angle downward. The first hole should be at the groundline and succeeding holes about 15 – 30 cm higher and 90° rotated from the next lower hole.

Inject equal amounts of fumigant into all holes. The amount of fumigant to be used per hole is based on the pole circumference at this groundline and in accordance with the table below:

CIRCUMFERENCE	TIMBER FUME
56 – 74 cm	0.12 litres
76 – 97 cm	0.25 litres
99 – 142 cm	0.50 litres
145 – 165 cm	0.60 litres

Plug the pre-drilled holes immediately after application. Plug the holes with treated wood plugs. Wear either a respirator or gas mask as described in the Precautions section of this label to avoid splashing any of the liquid into the eyes.

DISPOSAL:

1. Triple or pressure-rinse the empty container. Add the rinsings to the treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill.

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offense under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.