

SPECTRUMRX5080

MICROBIOCIDAL AGENT INDUSTRIAL
solution
DANGER



POISON
POTENTIAL SKIN SENSITIZER



CORROSIVE

READ THE LABEL BEFORE USING

ACTIVE INGREDIENT:

2,2-dibromo-3-nitrilopropionamide.....20.0%

REGISTRATION NUMBER 17569
PEST CONTROL PRODUCTS ACT
NET CONTENTS: 0.05L – 20,000L

Solenis Canada ULC

1151 Green Valley Road
London On N6n 1e4

Telephone: 1-905-632-7861

Emergency Telephone: 1-844-SOLENIS (1-844-765-3647)

FOR INDUSTRIAL USE ONLY:

Technical advice regarding specific site problems is available from Solenis Canada ULC.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

PRECAUTIONS: POTENTIAL SKIN SENSITIZER. KEEP OUT OF REACH OF CHILDREN.
CAUSES SEVERE BURNS OF EYES. EYE CONTACT MAY CAUSE LOSS OF VISION. MAY BURN THE SKIN. MAY BE HARMFUL OR FATAL IF SWALLOWED.

Do not get into eyes, on skin or on clothing. Chemical worker's goggles must be worn when handling. Wear a long-sleeve shirt, long pants, shoes plus socks and chemical-resistant gloves when handling. Do not inhale vapor or mist. Use with adequate ventilation. Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing immediately if pesticide comes in contact with skin through soaked clothing or spills. Then wash skin thoroughly and put on clean clothing. Wash contaminated clothing separate from other laundry prior to reuse. Users should remove protective clothing immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

FIRST AID:

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

IF IN EYES:

Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

IF SWALLOWED,

Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and other aquatic organisms. It is not to be used in circumstances that would cause or allow it to enter lakes, streams, ponds, estuaries, ocean or other waters in contravention of federal or provincial regulatory requirements. The requirements of applicable laws should be determined before using the product. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply the product only as specified on this label.

STORAGE: Store in a dark place at a temperature below 35°C. Keep container tightly closed. Protect from freezing. Store in a dry place.

DISPOSAL :

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Follow provincial instruction for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on disposal of unused, unwanted product contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency, and for clean-up of spills.

DIRECTIONS FOR USE

This product aids in the control of objectionable bacteria and fungi in pulp and paper mill systems.

NOTE: Add this product separately to the system. Do NOT mix it with other additives in order to avoid decomposition of this product due to high pH of many additive formulations. Add this product to the system at any point to insure uniform mixing. Additions can be made continuously or intermittently or as needed. The frequency of feeding and duration of treatment will depend upon the severity of contamination.

BADLY FOULED SYSTEMS must be cleaned before treatment is begun.

FOR SLIME CONTROL

This product should be added directly to the pulp and paper mill systems. Apply at a point in the system where the product will be uniformly mixed.

INTERMITTENT OR SLUG METHOD-INITIAL DOSE: When the system is noticeably fouled, add this product at a rate of 0.05 to 0.25 kg per tonne of pulp or paper produced.

SUBSEQUENT DOSE: When microbial control is evident, add this product at the rate of 0.05 to 0.15 kg per tonne of pulp or paper produced. Treat the system as needed to maintain control.

CONTINUOUS FEED METHOD-INITIAL DOSE: When the system is noticeably fouled, add this product at the rate of 0.05 to 0.25 kg per tonne of pulp or paper produced.

SUBSEQUENT DOSE: Maintain the following level by continuous feed of this product at the rate of 0.05 to 0.15 kg per tonne of pulp and paper produced.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.