

2021-6463
2022-01-14

2250 WATER TREATMENT MICROBIOCIDE

SOLUTION

TWIN-CHAIN QUATERNARY AMMONIUM COMPOUND CONCENTRATE

Water Treatment Microbiocide for Building and Industrial Cooling Towers and Oil Field Water

Flood or Salt Water Disposal Systems

COMMERCIAL

ACTIVE INGREDIENT :

Didecyl dimethylammonium chloride 50.0%



POISON

DANGER



CORROSIVE

READ THE LABEL BEFORE USING
REGISTRATION NO. 17770 PEST CONTROL PRODUCTS ACT

NET CONTENTS : _____ L

ARXADA, LLC
412 Mount Kemble Avenue, Suite 200S
Morristown NJ 07960
201-316-9200

2250 WATER TREATMENT MICROBIOCIDE will control algae and bacterial slimes found in recirculating cooling tower waters and oil field water flood. 2250 WATER TREATMENT MICROBIOCIDE helps clean and loosen slime debris from cooling and flooding system surfaces. When used in slug doses, no other microbiocide is required. 2250 WATER TREATMENT MICROBIOCIDE is economical to use because it is concentrated. It should be handled with care.

DIRECTIONS FOR USE:

To control algae and bacterial slimes, use 2250 WATER TREATMENT MICROBIOCIDE as directed. For best results, slug feed. The frequency of addition of microbiocide needed depends on many factors. To optimize your use of 2250 WATER TREATMENT MICROBIOCIDE, follow this procedure.

Recirculating Cooling Towers:

1. Initially use 450 mL/10,000L of water to be treated (20 ppm active quaternary). Should the above dosage not give satisfactory results, use 700 mL/10,000L of water. Repeat the initial dose every seven days or increase the frequency if needed.
2. When the above treatment level is successful, use 240 mL/10,000L of water to maximize efficiency. Repeat weekly as needed. Should slime develop again, go back to initial dosage. Cooling tower waters that are inherently low in algae growth and bacteria count may be adequately controlled by the lower range of these dosages; slug fed every seven days.

Dilute the appropriate amount of 2250 WATER TREATMENT MICROBIOCIDE in 4 or 8L of water, then add to the tower. Note, this product weighs 0.93 Kg/L (at 20 deg C). Should tower be heavily fouled, a precleaning is required.

Oil Field Water Flood or Salt Water Disposal Systems: (Do not apply in Marine or Estuarine Oil Fields)

1. For the control of slime forming and sulfate reducing bacteria in oil field water flood or salt water disposal systems, add 5-10ppm (active) 2250 WATER TREATMENT MICROBIOCIDE(100-200 mL/10,000 L of water) continuously. Levels for effective control will vary depending on conditions at the site.
2. For intermittent use, dose at a rate of 5-20 ppm (active) 2250 WATER TREATMENT MICROBIOCIDE (100-400 mL/10,000 L of water) for 4-8 hours per day, one to four times a week as needed to maintain control.
Add 2250 WATER TREATMENT MICROBIOCIDE directly from the drum with the proper type of metering equipment. This product weighs 0.93 Kg/L (at 20 deg C).

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN.

CORROSIVE. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

When handling this concentrate wear goggles or a face shield, chemical-resistant gloves, long pants, a long-sleeved shirt, and shoes plus socks.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish and other aquatic organisms. It is not to be used in circumstances that would cause or allow it to enter lakes, streams, ponds, estuaries, oceans or other waters in contravention of federal or provincial regulatory requirements. Do not discharge effluent containing this product into sewer systems without previously notifying the sewage treatment plant authority. The requirements of applicable laws should be determined before using the product.

FIRST-AID:

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15–20 minutes.

Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label.

DISPOSAL:

1. Triple- or pressure-rinse the empty container. Add the rinsings to the treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.