

META[®]
Slug & Snail
KILLER BAIT
MEAL

Attracts slugs and snails and kills them
A special formula containing metaldehyde

Molluscicide
Particulate

DOMESTIC

REG. NO. 179 P.C.P. ACT

GUARANTEE: Metaldehyde 2.25%
Warning, contains the allergen wheat.
Contains calcium propionate at 0.45% as a preservative.

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS



CAUTION



POISON

1 kg (2 kg, 4 kg)

Sure-Gro IP Inc.,
P.O. Box 21001,
Brantford, ON N3R 7W9
1-800-268-2806

KEEP IN A COOL PLACE

META[®] SLUG & SNAIL KILLER BAIT

Meta[®] Slug & Snail Killer Bait contains Metaldehyde. This special bait has a strong attraction to Slugs and Snails. They are killed when they crawl over or eat the bait.

DIRECTIONS FOR USE: Keep people and pets out of the area during application. Place 20 ml (4 teaspoons) per linear meter, along rockeries, around plants and seedlings or where slugs and snails are numerous. Application is permitted only to non-turf areas (i.e., soil or mulch), as a barrier around gardens or directly surrounding plants listed for use on the label. Avoid applying in piles that may attract pets. Evening is the best time to apply bait as slugs and snails travel and feed mostly at night. Remove and dispose of the dead slugs and snails each morning. If further control is required, repeat applications at 14 day intervals for cole crops, leafy greens, lettuce, tomatoes and strawberries, and 21 day intervals for ornamentals. Use only a maximum of 6 applications per year for ornamentals, and 3 applications per year for all other crops listed.

Application of this metaldehyde product is prohibited unless children and domestic animals can be excluded from the treated areas from the start of application until the applied product is no longer visible. Application to turf and dichondra is prohibited. Application is prohibited within 30 cm of vegetable plants or fruit-bearing plants not listed on this label. Foliar and broadcast applications are prohibited.

PRECAUTIONS: Keep out reach of children, pets and other domestic animals. Children and pets may be attracted to this product and packaging. This product may be harmful to children and fatal to domestic animals if ingested. Avoid contamination of feeds and foodstuffs. Keep children and pets out of treated areas from the start of application until product is no longer visible. Toxic to aquatic organisms, birds and small wild mammals. Do not apply product near water (including garden ponds) or storm drains or if heavy rain is expected. Apply this product only around gardens and ornamental plants. Collect and remove any product that is spilled. For additional precautionary measures, see **DIRECTIONS FOR USE, STORAGE and DISPOSAL.**

FIRST AID: If swallowed, call a poison control centre or doctor IMMEDIATELY for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. **If in eyes,** hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. **If on skin or clothing,** take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. **If inhaled,** move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth to mouth, if possible. Call a poison control centre or doctor immediately for treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention. Seek medical care as soon as possible after exposure.

For incidents involving animals, seek veterinary care as soon as possible after exposure. Have the product container or label with you when you call a poison control centre, veterinarian, or when going for treatment.

Metaldehyde is a systemic toxin. There is no antidote. The following instructions are not intended for laypeople. There is no home treatment. Exposed individuals and animals should receive emergency care as quickly as possible.

TOXICOLOGICAL INFORMATION: Humans - Dust inhalation is the usual route of accidental exposure; the product is rarely ingested except by children. Treatment is symptomatic and supportive. Monitor severe exposures closely: seizures, electrolyte imbalances, acidosis, dehydration, and increased body temperature have been reported. **Pets** - Animals typically are exposed via ingestion. Treatment is symptomatic and supportive. If significant ingestion is suspected, and the animal is asymptomatic, consider induction of emesis or gastric lavage and administration of activated charcoal, cathartic and enema to limit absorption. Monitor asymptomatic and symptomatic animals closely. Treat seizures, electrolyte imbalances, acidosis, dehydration, and increased body temperature. Monitor liver function post recovery.

STORAGE: This product can be harmful to children and fatal to domestic animals if ingested. Dogs have been known to ingest metaldehyde after opening or tearing packaging. Store this product in its original packaging, in a cool, dry, secure location and out of reach of children and pets.

DISPOSAL: Do not reuse container. Wrap empty container and discard in household garbage.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to the persons or property that arises from any such use of this product.

For additional information or in case of emergency, spills or fire, call toll free 1-800-268-2806

META[®] Lonza AG (Lonza Ltd.)

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.