

MOHAWK DORMANT SPRAY OIL

LIQUID EMULSIFIABLE CONCENTRATE AGRICULTURAL

COMMERCIAL

GUARANTEE: Mineral Oil 98.9%

REGISTRATION NO.: 18709 PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDRENWARNING *{poison}* POISON

NET CONTENTS: 205 LITRES

GFL Environmental Services Inc.

100 New Park Place, Suite 500

Vaughan ON

Canada, L4K0H9

Tel: 604-982-2323

DIRECTIONS FOR SALE AND USE FOR BRITISH COLUMBIA ONLY

For effective Scale Control with air blast sprayers, apply at least 2,000 L/ha increasing this to 4,000 L/ha, applied from four sides, for severely encrusted scales. Use dosage of oil listed below with this quantity of water.

CROP	TO CONTROL	RATE/TIME
Apple, Apricot, Cherry, Peach, Pear, Plum	<ul style="list-style-type: none"> San Jose Scale Lecanium Scale European Red Mite Pear Psylla 	<ul style="list-style-type: none"> Use 40 litres of Mohawk Dormant Spray Oil per 1000 litres of water or use 90 litres per hectare. Make a single application when trees are in the dormant stage.

As this product is not registered for the control of pests in aquatic systems, **DO NOT** use to control aquatic pests. **DO NOT** contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

BUFFER ZONES: Uses of the following spray methods or equipment **DO NOT** require a buffer zone: handheld or backpack sprayer and spot treatment. When a tank mixture is used, consult the labels of the tank-mix partners and observe the largest (most restrictive) buffer zone of the products involved in the tank mixture.

Air blast applications: **DO NOT** apply during periods of dead calm. Avoid application of this product when winds are gusty. **DO NOT** direct spray above plants to be treated. Turn off outward pointing nozzles at row ends and outer rows. **DO NOT** apply when wind speed is greater than 16 km/h at the application site as measured outside of the treatment area on the upwind side. **DO NOT** APPLY BY AIR.

The buffer zones specified in the table below are required between the point of direct application and the closest downwind edge of sensitive freshwater habitats (such as lakes, rivers, sloughs, ponds, prairie potholes, creeks, marshes, streams, reservoirs and wetlands) and estuarine/marine habitats.

Method of Application	Crop	Buffer Zones (meters) Required for the Protection of:			
		Freshwater Habitat of Depths:		Estuaries/Marine Habitats of Depths:	
		Less than 1m	Greater than 1m	Less than 1 m	Greater than 1m
Air blast	Pome fruit and stone fruit	20	10	3	1

MIXING DIRECTIONS: Fill the tank about half-full with water and with the agitator running, add the required amount of oil. Pump the mixture through the overflow back into the tank for about 2 minutes to obtain proper emulsification. Continue to fill the tank with water under constant agitation. If required add and mix a compatible fungicide before adding the oil.

CAUTION: Do not use the spray mixture before the oil has been properly emulsified. Do not apply just before or during freezing weather. Keep the agitator running until the spray tank is empty.

COMPATIBILITY: Mohawk Dormant Spray Oil is compatible with Ferbam, Fixed Copper or Ziram. It is also compatible with Lime Sulphur for European Scale or Peach Leaf Curl control. Do not mix with Captan or Wettable Sulphur.

PRECAUTIONS:

Hazardous if swallowed. **KEEP OUT OF REACH OF CHILDREN**

Harmful if inhaled. Avoid inhalation of spray mist. Applicator must wear a respirator with NIOSH/MSHA/BHSE approved canister for pesticides during airblast applications

May irritate skin and eyes. Avoid contact with skin, eyes or clothing. Wear a long-sleeved shirt, long pants, and shoes and socks during mixing, loading application, clean-up and repair. Wear chemical resistant gloves and eye protection during application.

Do not enter or allow others to enter treated areas during the restricted interval (REI) of 12 hours.

If this pest control product is to be used on a commodity that may be exported to the U.S. and you require information on acceptable residue levels in the U.S., visit CropLife Canada's web site at: www.croplife.ca

FIRST AID:

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: This pest product contains more than 10% petroleum distillates. Use gastric lavage; avoid aspiration.

ENVIRONMENTAL HAZARDS:

TOXIC to aquatic organisms: Observe buffer zones specified under DIRECTIONS FOR USE.

To reduce runoff from treated areas into aquatic habitats, avoid application to areas with moderate to steep slope, compacted soil or clay. Avoid application when heavy rain is forecast. Contamination of aquatic areas as a result of runoff may be reduced by including a vegetative strip between the treated area and the edge of the water body.

STORAGE & DISPOSAL: Do not store at temperatures below -18°C.

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Follow Provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with Provincial requirements
5. For information on disposal of unused, unwanted product, contact the manufacturer or a provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean up of spills.

NOTICE TO USER: This control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.