

2022-06-21  
2021-6477

**1% WARFARIN  
CONCENTRATE**

For the control of Norway and Roof rats (*Rattus norvegicus*  
and *Rattus rattus*) and House mice (*Mus musculus*).

RODENTICIDE

Dust

COMMERCIAL

REGISTRATION No. 19941 PEST CONTROL PRODUCTS ACT

GUARANTEE: Warfarin 1%

CAUTION



POISON

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL BEFORE USING

NET CONTENTS: 22.68 kg

Only to be used by certified pest control operators, farmers and persons  
authorized in government-approved pest control programs.

ALDERT CHEMICALS LIMITED  
4889 DUNDAS STREET WEST, SUITE 5  
TORONTO, ONTARIO  
M9A 1B2  
416 236 4222

**USE LIMITATIONS:** For indoor use only. Do not use in homes or other residential buildings. Do not use in areas accessible to children, pets and non-target wildlife. If livestock are present in treatment area, bait **MUST** be placed either in tamper-resistant bait stations or in locations not accessible to livestock.

DO NOT place bait in areas where there is a possibility of contaminating food or surfaces that come in direct contact with food.

Bait stations used for the placement of rodenticide bait indoors, in locations accessible to livestock only must have the following characteristics: (1) be constructed of high-strength material (e.g. metal or injection moulded plastic) and resistant to destruction by children; (2) have an entrance designed so that children cannot reach the bait; (3) have an internal structure that prevents bait from being shaken loose; (4) have an access panel that fastens securely and locks (e.g. metal screw or padlock); and (5) bear the product name, active ingredient, guarantee, registration number, “WARNING POISON”, and the skull and crossbones symbol.

**DIRECTIONS FOR USE:**

Thoroughly mix at the rate of 1 part of this product with 39 parts suitable bait material to make a finished bait. Fresh corn meal, rolled oats, dog food or similar substances that rodents prefer in your locality are suitable bait materials. If the bait tends to be dry or dusty, a small amount of salad oil or cooking oil may be added.

Place formulated bait at approximately 50 g for mice; 300 g – 400 g for rats, where rodents are accustomed to feed. Bait stations at intervals of approximately 3 m and as many as practical are recommended. Assure an uninterrupted supply of bait until all signs of feeding have stopped. Make water available in shallow container near bait.

**PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN, PETS AND LIVESTOCK.**

Exposure to warfarin during pregnancy should be avoided. Warfarin may cause harm to the fetus, including possible birth defects. May be harmful or fatal if swallowed or absorbed through the skin. All handlers must wear long-sleeved shirt and long pants, shoes plus socks, and chemical-resistant gloves. Wear a NIOSH-approved particulate-filter respirator and protective eyewear while pouring and mixing the concentrate with bait. Chemical-resistant gloves must be worn when handling product and when disposing of dead rodents, unconsumed bait and empty containers. Avoid contact with eyes, skin or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Wash skin thoroughly with soap and water after handling. Users should remove clothing immediately if pesticide gets inside. Then wash skin thoroughly and put on clean clothing. Wash contaminated clothing, separately from other laundry, with soap and hot water before reuse. **KEEP AWAY FROM FEED AND FOODSTUFFS.** Keep out of lakes, streams or ponds.

**FIRST AID:** This product contains an anti-coagulant chemical which, if taken accidentally by humans, domestic animals, pets or wildlife may reduce the clotting ability of the blood and hemorrhage may result. **If in eyes,** hold eye open and rinse slowly and

gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call poison control centre or doctor for treatment advice. **If on skin or clothing**, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. **If swallowed**, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. For all cases of human ingestion, immediately notify a physician or poison control centre. If pet or livestock poisoning is suspected, immediately contact a veterinarian. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

**TOXICOLOGICAL INFORMATION:** Vitamin K<sub>1</sub> in the form of intramuscular or subcutaneous injections, or by oral ingestion are suggested remedial treatments for anticoagulant poisoning. The severity of the case measured by establishing prolonged prothrombin times (P.T.) will determine appropriate therapy. Monitoring P.T. will indicate the necessity of repeated treatments.

**STORAGE:** Store in a cool, dry place away from other chemicals and food or feed. Store product not in use, in original container, in a secure location inaccessible to children and non-target animals.

**DISPOSAL:** Do not reuse empty container. Dispose of unused or spoiled bait in accordance with local requirements. Follow provincial instructions for any required cleaning of the empty container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

**RODENT DISPOSAL:** Dispose of dead rodents in garbage or by burying.

**NOTICE TO USER:** This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.