

2020-06-01
Sub.No.2020-1548

This product has been cancelled effective as of 02 March 2023.
Manufacturing and importing of the product are no longer permitted. The existing stocks in Canada are authorized under paragraph 21(5)(a) of the Pest Control Products Act for depletion for a limited time according to the phase-out schedule listed in the Pesticide Product Information Database (<https://pesticide-registry.canada.ca>).

**PYROCIDE® AQUEOUS PLANT SPRAY INSECTICIDE
(CODE 72400C1)
* DOMESTIC
* READY TO USE, SHAKE WELL BEFORE USING**

ACTIVE INGREDIENTS:

Pyrethrins 0.02%
Piperonyl Butoxide 0.20%

Contains sodium benzoate at 0.20% as a preservative
Pyrocide is a Registered Trademark of MGK

REGISTRATION NUMBER 15181

PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

Potential Skin Sensitizer

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

IF INHALED: Move the person to fresh air. If the person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

Registrant:



7325 Aspen Lane North
Minneapolis, MN 55428
U.S.A.
(763) 544-0341

EPA Est. No. 1021-MN-2
Valent Canada Inc. , 201-230 Hanlon Creek Blvd., Guelph, Ontario N1C 0A1, (519) 767-9262

NET CONTENTS: _____ litres

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN

Avoid contact with skin, eyes and clothing. Avoid inhalation of spray. Wash thoroughly with soap and water after using. When spraying indoors cover fish bowls and remove pets for one hour. Remove or cover all exposed foods and cooking utensils before spraying. Do not use on Maiden Hair Ferns.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

SHAKE WELL BEFORE USING

Apply with conventional mechanical or compressed air equipment. This product may be used indoors on listed ornamental plants. It may also be used outdoors and in greenhouses on listed ornamental plants and listed food crops throughout the growing season. It may also be used as a pre-harvest treatment when other insecticides are prohibited due to residue restrictions and use limitations.

To control the insects named, apply this spray to provide thorough coverage of upper and lower leaf surfaces. Repeat treatments weekly or as needed to control infestations. May be applied one day before harvest. Do not spray in direct sunlight. Spraying in early morning or in the evening is preferred. Spray when air is still and temperature is below 32°C. Hit insects directly with spray. Use with caution on young plants and new growth.

Crop	Insect
Asparagus	Asparagus Beetles, Japanese Beetle
Beans	Aphids, Leafhoppers, Whiteflies, Mexican Bean Beetles, 12-Spotted Cucumber Beetles, Japanese Beetle
Broccoli	Aphids, Cabbage Loopers, Cross-Striped Cabbageworms, Diamondback Moth larvae, Flea Beetles, Harlequin Bugs, Imported Cabbageworms, Stink Bugs, Japanese Beetle
Celery	Green Peach Aphids, Cabbage Loopers, Leafhoppers, Japanese Beetle
Cranberries	Wireworms, Leafhoppers
Eggplants	Blister Beetles, Colorado Potato Beetles, Flea Beetles, Green Peach Aphids, Japanese Beetle
Lettuce	Cabbage Loopers, Green Peach Aphids, Diamondback Moth larvae, Imported Cabbageworms, Japanese Beetle
Mustard Greens, Kale, Collards, Turnips	Imported Cabbageworms, Diamondback Caterpillars, Aphids, Cabbage Loopers, Japanese Beetle
Peppers	Green Peach Aphids, Japanese Beetle
Potatoes	Aphids, Colorado Potato Beetles, Flea Beetles, Leafhoppers
Radishes	Aphids, Flea Beetles, Japanese Beetle
Spinach	Aphids, Cabbage Loopers, Webworms, Japanese Beetle
Tomatoes	Green Peach Aphids, Colorado Potato Beetles, Stink Bugs, Flea Beetles, Japanese Beetle

Crop	Insect
ORNAMENTALS:	Flea Beetles
African Violet	Leafhoppers
Asters	Whiteflies
Azaleas	Spider Mites
Begonias	Aster Beetles
Camellias	Rose Chafer
Carnations	Rose Slug
Chrysanthemums	Tarnished Plant Bug
Crassula	Aphids
Dahlias	Japanese Beetle
Delphiniums	
Dogwood	
English Ivy	
Euonymus	
Fuchsia	
Geraniums	
Gladioli	
Kentia Palm	
Laurel	
Marigolds	
Rhododendrons	
Roses	
Rubber Plant	
Snapdragons	
Stock	
Wandering Jews	
Zinnias	

DISPOSAL: Do not reuse empty container. Wrap container and dispose of in household garbage.

EMERGENCY TELEPHONE NUMBER:

In case of Medical emergencies or health and safety inquiries, or in case of fire, leaking or damaged containers, information may be obtained by calling **1-888-740-8712**.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the PEST CONTROL PRODUCTS ACT to use this product in a way that is inconsistent with the directions on the label.