

2023-1973
2024-02-16

This label has been updated according to the re-evaluation decision of Pyrethrins RVD2023-06 and Piperonyl Butoxide RVD2023-07. While users are encouraged to follow this updated label immediately, the previously approved label is valid until "02/03/2025" in accordance with the phase out period set out in RVD2023-06 and RVD2023-07. This previously approved label will be provided upon request by emailing hc.pmra.info-arla.sc@canada.ca. In your email please include the product name and Registration number of the label you are requesting.

2023-1973
2024-02-16

PYROCIDE® Concentrate 7369 Insecticide Solution

COMMERCIAL

For indoor use at horse barns, dairy and hog barns, kennels and other farm structures or buildings housing **livestock** or poultry to kill houseflies, horn flies, stable flies, horse flies, mosquitoes

REGISTRATION NO. 21004

PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

ACTIVE INGREDIENT:

Pyrethrins	3.00%
Piperonyl butoxide	28.80%

PYROCIDE®, MGK® - Registered trademarks of McLaughlin Gormley King Company

KEEP OUT OF REACH OF CHILDREN



CAUTION POISON
POTENTIAL SKIN SENSITIZER

Net Contents _____

Manufactured by:



7325 Aspen Lane North
Minneapolis, MN 55428
U.S.A.
(763) 544-0341

EPA Est. No. 1021-MN-2

Valent Canada Inc., 201-230 Hanlon Creek Blvd., Guelph, Ontario N1C 0A1, (519) 767-9262

DIRECTIONS FOR USE

This formulation may be used in horse barns, dairy and hog barns, kennels and other listed farm structures or buildings housing livestock or poultry.

2023-1973
2024-02-16

FOR INDOOR USE AT THE FOLLOWING STRUCTURES: Horse Barns, Dairy And Hog Barns, Kennels And Other Farm Structures Or Buildings Housing Livestock Or Poultry

Within the specified use location, to enhance effectiveness of this product, apply directly to the listed pests where possible. Treatment must only be repeated after 7 days if pest problem persists or reoccurs. Good sanitary practices should be maintained to prevent re-infestation.

Use Limitations

- **DO NOT** apply when people, pets or livestock (with exception of poultry) are present.
- **DO NOT** remain in treated areas after application.
- **DO NOT** allow people, pets or livestock (with exception of poultry) to enter treated areas until 2 hours. The commercial applicator is responsible for informing workers and others of this requirement.
- **DO NOT** apply in a food/feed processing facility, milking parlour, milk house or milk room.
- Any food/feed accidentally contaminated with spray solution must be discarded.
- When applying to overhead areas or in confined spaces, wear appropriate respiratory and eye protection.
- Ventilate treated areas after application either by opening windows and doors or using fans, where required, to aid in the circulation of air. Air exchange/ventilation systems confirmed to be operational may also be used.

How to Apply

APPLY AS A SPACE SPRAY ONLY. Space application is a suspension of fine droplets (0.1 to 100 µm) in the air within an indoor space.

FOR USE WITH HANDHELD MECHANICAL FOGGERS

To Control Houseflies, Horn Flies, Stable Flies, Horse Flies and Mosquitoes: Before using as a space spray in structures with livestock, remove all livestock, with exception of poultry, from area to be treated. Dilute 1 part of Pyrocyde Concentrate 7369 in 29 parts of water to give a 0.10% concentration of pyrethrins. and apply as a fine mist or fog. Close all windows and doors and shut off all ventilating systems and sources of ignition before treatment. Direct spray toward the ceiling and upper corners of the room until the area is filled with mist, and not directly towards poultry. Apply using at a rate of 60 ml diluted solution per 30 m³ of space. When using handheld equipment, begin application at far side of the room and work backwards toward exit. Vacate the treated area and keep windows and doors closed for **15 minutes** before ventilating. For ventilation and re-entry requirements, see "Use Limitations" (above).

For best performance, the spray solution should be in the pH range of 5.5 – to 7.0.

KEEP OUT OF REACH OF UNAUTHORIZED PERSONNEL

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Potential skin sensitizer. Wash with soap and warm water after use. Remove contaminated clothing and wash before reuse. If entering treated areas prior to venting or before 2 hour re-entry interval after application using a mechanically pressurized handheld sprayer for mists, aerosols, and fogs (droplet sizes 0.1-100 µm) or stationary fogger, and for application using a mechanically-pressurized handheld sprayer for mists, aerosols, and fogs, wear chemical-resistant coveralls with a chemical resistant hood over long-sleeved shirt, long pants, chemical-resistant gloves, socks, chemical resistant footwear and a respirator with a NIOSH-approved organic-vapour-removing cartridge with a prefilter approved for pesticides OR a NIOSH-approved canister approved for pesticides. For mixing and loading, and application using all other application equipment, wear a long-sleeved shirt, long pants, chemical-resistant gloves, socks and shoes during mixing, loading, application, clean-up and repair. **DO NOT** handle more than **0.92 L** of **undiluted** product per person, per day when using a mechanically pressurized handheld sprayer for mists, aerosols, and fogs (droplet size 0.1-100 µm). These restrictions are in place to minimize exposure to individual applicators. Application may need to be performed over multiple days or using multiple applicators.

Do not apply directly to food, water or feed supplements. Wash teats of dairy animals before milking.

FIRST AID: **IF SWALLOWED**, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person. **IF ON SKIN OR CLOTHING**, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. **IF INHALED**, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. **IF IN EYES**, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: This product contains petroleum distillate. Vomiting may cause aspiration pneumonia. Treat symptomatically.

2023-1973
2024-02-16

RESISTANCE MANAGEMENT RECOMMENDATIONS

For resistance management, PYROCIDE® Concentrate 7369 Insecticide Solution contains a Group 3 insecticide. Any insect population may contain individuals naturally resistant to PYROCIDE® Concentrate 7369 Insecticide Solution and other Group 3 insecticides. The resistant individuals may dominate the insect population if this group of insecticides is used repeatedly in the same locations. Other resistance mechanisms that are not linked to site of action but are specific for individual chemicals, such as enhanced metabolism, may also exist. Appropriate resistance-management strategies should be followed. To delay insecticide resistance:

- Where possible, rotate the use of PYROCIDE® Concentrate 7369 Insecticide Solution or other Group 3 insecticides with different groups that control the same pests in the location to be treated.
- Insecticide use should be based on an IPM program that includes scouting and record keeping, and considers cultural, biological and other chemical control practices.
- Monitor treated pest populations for resistance development.
- Contact your local extension specialist or certified crop advisors for any additional pesticide resistance-management and/or IPM recommendations for the specific site and pest problems in your area.
- For further information or to report suspected resistance contact [MGK](#) at [\(763\) 544-0341](tel:(763)544-0341).

DISPOSAL:

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Follow provincial instruction for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

STORAGE: Keep container closed. Mix well in drum before sampling and each use. Store in a cool, dry place. Do not store, pour or spill near heat or open flame. Store this product away from food or feed.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.