

**AMVAC Naled Technical
INSECTICIDE**

**FOR USE IN MANUFACTURING OR FORMULATING
LIQUID**

REGISTRATION NO. 23202

PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

ACTIVE INGREDIENT:

Naled (1,2-dibromo-2,2-dichloroethyl
dimethyl phosphate)94.5%

D A N G E R

POISON

CORROSIVE TO EYES AND SKIN

POTENTIAL SKIN SENSITIZER

AMVAC CHEMICAL CORPORATION

4695 MacArthur Court, Suite 1200
Newport Beach CA 92660
United States
(888) 462-6822

UNITED AGRI PRODUCTS

R.R. #2, 789 DONNYBROOK DRIVE
DORCHESTER, ONTARIO N0L 1G5

(519) 268-8001

NET CONTENTS: 113.56 Liters

DIRECTIONS FOR USE

To be used only in the manufacture of an insecticide which is registered under the Pest Control Products Act.

PRECAUTIONS

PREVENT ACCESS BY UNAUTHORIZED PERSONNEL. Wear approved respiratory protection such as a pesticide cartridge respirator effective at removing naled. Wear safety glasses, chemical-resistant rubber gloves and boots, and impervious clothing. Use adequate ventilation to keep the airborne concentrations of this material below the exposure standard. Wash thoroughly with soap and water after handling and before eating, drinking, smoking, or using the toilet.

Fatal or poisonous if swallowed or absorbed through skin. **DO NOT** get on skin or clothing. May be fatal if inhaled. **DO NOT** inhale spray or mist. Corrosive to eyes and skin. **DO NOT** get in eyes or on skin. Potential skin sensitizer. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Remove contaminated clothing and wash before use.

This material is toxic to fish, birds, and other wildlife. Keep out of lakes, ponds, or streams. Do not contaminate water by cleaning of equipment or disposal of waste. Do not use or store near flame, sparks or hot surfaces. Keep container closed when not in use.

ENVIRONMENTAL PRECAUTIONS

TOXIC to aquatic organisms.

DO NOT discharge effluent containing this product into sewer systems, lakes, streams, ponds, estuaries, oceans or other waters.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

Naled is a cholinesterase inhibitor. Typical symptoms of overexposure to cholinesterase inhibitors include headache, nausea, dizziness, sweating, salivation, runny nose and eyes. This may progress to muscle twitching, weakness, tremor, incoordination, vomiting, abdominal cramps and diarrhea in more serious poisonings. A life-threatening poisoning is signified by loss of consciousness, incontinence, convulsions and respiratory depression with a secondary cardiovascular component. Treat symptomatically. If exposed, plasma and red blood cell cholinesterase tests may indicate degree of exposure (baseline data are useful). Atropine, only by injection, is the preferable antidote. Oximes, such as Pralidoxime Chloride, may be therapeutic if used early; however, use only in conjunction with atropine. In cases of severe acute poisoning, use antidotes immediately after establishing an open airway and respiration. With oral exposure, the decision of whether to induce vomiting or not should be made by an attending physician. NOTE: Product contains a petroleum distillate solvent. Vomiting may cause aspiration pneumonia.

STORAGE

Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Keep pesticide in original container. Do not put concentrate into food or drink containers. Do not store or transport near feed or food. Store in a cool, dry place out of direct sunlight.

DISPOSAL/DECONTAMINATION

Canadian manufacturers should dispose of unwanted active ingredients and containers in accordance with municipal and provincial regulations. For additional details and clean up of spills, contact the manufacturer and the provincial regulatory agency.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label.