

2015-7175
2016-02-11


PRINCIPAL DISPLAY PANEL/CARTON

TERMINATOR® Mouse and Rat Place Pack
Mouse and Rat Poison for Indoor Rodent Control
Kills House Mice, Norway Rats and Roof Rats

COMMERCIAL
FOR LICENSED PEST CONTROL OPERATORS

Only to be used by certified pest control operators, farmers and persons authorized in government-approved pest control programs.

House Mice, Norway Rats and Roof Rats usually consume a lethal dose in a single day of feeding, but it may take two or more days from time of bait consumption for these rodents to die. Rodents cease feeding after consuming a lethal dose. TERMINATOR® Mouse and Rat Place Pack is effective against anticoagulant-resistant mice and rats.



GUARANTEE: Bromethalin: 0.01%

REGISTRATION NUMBER 23762
PEST CONTROL PRODUCTS ACT

READ THE LABEL AND ATTACHED BROCHURE BEFORE USING
KEEP OUT OF REACH OF CHILDREN

Contains BITREX (an extremely bitter tasting substance that has been added to this bait to deter accidental consumption)

WARNING



POISON

NET CONTENTS: 12 pouches x 14g bait

KEEP OUT OF REACH OF UNAUTHORIZED PERSONNEL
SEE SECONDARY PANEL FOR ADDITIONAL PRECAUTIONS

Hacco Inc.
110 Hopkins Drive
Randolph, WI 53956 United States
1-800-498-5743

SECONDARY DISPLAY PANEL

PRECAUTIONS: KEEP OUT OF THE REACH OF CHILDREN, PETS AND LIVESTOCK

May be harmful or fatal if swallowed or absorbed through the skin. Do not open pre-measured place packs. Chemical-resistant gloves must be worn when disposing of dead rodents, unconsumed bait and empty containers. Avoid contact with eyes, skin or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Wash skin thoroughly with soap and water after handling. Wash contaminated clothing, separately from other laundry, with soap and hot water before reuse. **KEEP AWAY FROM FEED AND FOODSTUFFS.**

This product is toxic to fish, birds and other wildlife. Keep out of any body of water.

FIRST AID: If swallowed, call a poison control centre or doctor immediate for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Have person sip a glass of water if able to swallow. Do not give anything by mouth to an unconscious person.

If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor immediate for treatment advice.

If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor immediate for treatment advice. For all cases of human ingestion, immediately notify a physician or poison control centre. If pet or livestock poisoning is suspected, immediately contact a veterinarian. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: TERMINATOR® Mouse and Rat Place Pack is not an anticoagulant type of rodenticide. If ingested, limit absorption by either emesis or gastric lavage. Follow immediately with activated charcoal and saline cathartic orally; repeat every 6-8 hours for at least 72 hours. Activated charcoal has been shown to be effective. Animals showing signs of toxicosis should receive supportive therapy-maintain body temperature, respiration and electrolytes. Corticosteroids and osmotic diuretics (mannitol) may be beneficial.

DIRECTIONS FOR USE:

SELECTION OF TREATMENT AREAS: Determine areas where the mice and rats will most likely find and consume the bait. Generally, these areas are along the walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rodents or their signs have been observed. Remove as much alternative food accessible to rodents as possible. The bait is not to be placed outdoors, in areas near farm wells or water reservoirs, or in areas where there is a possibility of contaminating sources of drinking water.

BAITING STRATEGY: Highest bait consumption is expected to occur on the first day or two after treatment. After several days, inspect the tamper-resistant bait stations and replenish bait at sites where there is heavy feeding. Although one night's feeding will usually provide a lethal dose, maintain bait for at least a week to provide all rodents a chance to feed on the bait. Baiting should be continued until all signs of feeding have ceased. Where a continuous source of infestation is present, establish permanent bait stations and replenish bait as needed.

APPLICATION DIRECTIONS: Chemical-resistant gloves must be worn while applying this product. Users should remove clothing immediately if pesticide gets inside. Then wash skin thoroughly and put on clean clothing. TERMINATOR® Mouse and Rat Place Pack is a new rodenticide completely unlike anticoagulants. Generally rodents will consume a lethal dose in a single feeding with dead rodents appearing one or two days after they eat the bait. Place directly in tamper-resistant bait stations; do not open place packs.

NORWAY AND ROOF RATS: Apply 3 – 12 place packs per placement. Adjust the amount applied to the level of rat feeding expected at each bait placement. Tamper-resistant bait stations should be spaced at 6.0 to 9.0 meter intervals, in locations out of reach of children, pets, domestic animals and non-target wildlife. The number and location of bait stations should be recorded.

HOUSE MICE: Apply 3 place packs per placement. Tamper-resistant bait stations should be spaced at 2.4 to 3.7 meter intervals, in locations out of reach of children, pets, domestic animals and non-target wildlife. The number and location of bait stations should be recorded.

USE LIMITATIONS: For control of House Mice (*Mus musculus*), Norway rats and Roof rats (*Rattus norvegicus* and *Rattus rattus*) in homes, industrial and agricultural buildings, food-handling establishments and similar man-made structures. Do not use TERMINATOR® Mouse and Rat Place Pack in sewers.

Bait **MUST** be placed in tamper-resistant bait stations.

Bait station (**tier 3**) used for the placement of rodenticide bait indoors, in locations not accessible to pets or livestock must have the following characteristics: (1) be constructed of high-strength material (e.g., metal or injection moulded plastic) and resistant to destruction by children; (2) have an entrance designed so that children cannot reach the bait; (3) have an internal structure that prevents bait from being shaken loose; (4) have an access panel that fastens securely and locks (e.g., metal screw or padlock); and (5) bear the product name, active ingredient, guarantee, registration number, “WARNING POISON”, and the skull and crossbones symbol.

These bait stations must be placed in locations out of reach of children, pets, domestic animals and non-target wildlife. A food-handling establishment is an area or place in which food is held, processed, prepared and/or served. In food-handling establishments, place tamper-resistant bait stations on the floor or ground near walls where signs of rodent feeding are apparent. Do not place tamper-resistant bait stations in areas where there is a possibility of contaminating food or surfaces that come in contact with food. Non-food areas of food-handling establishments include garbage rooms, machine rooms, boiler rooms, garages, mop closets, and storage areas for canned, bottled or packaged products. For areas not directly related to food processing: use only in non-food or non-feed areas where feed, food, packaging and handling equipment are never opened nor exposed. Food areas of food-handling establishments include areas for receiving; serving; storing of dry, cold, frozen or raw foods; packaging, such as canning, bottling, wrapping and boxing; preparing, such as cleaning, slicing, cooking and grinding; edible waste storage; and enclosed processing systems, such as mills and dairies, or those systems used to produce edible oils and syrups. For areas where feed or food is processed, served or stored: use only when plant is not in operation. Remove or cover all food, packing material and utensils before placing bait in stations. Remove all baits and dead rodents before re-use of the plant (processing areas include storage and service).

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool, dry place away from other chemicals and food or feed. Store product not in use, in original container, in a secure location inaccessible to children and non-target animals.

DISPOSAL: Do not reuse empty container. Dispose of unused or spoiled bait in accordance with local requirements. Follow provincial instructions for any required cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

RODENT DISPOSAL: Dispose of dead rodents in garbage or by burying.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offense under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

PRINCIPAL DISPLAY PANEL/POUCH

TERMINATOR® Mouse and Rat Place Pack

Mouse and Rat Poison for Indoor Rodent Control
Kills House Mice, Norway Rats and Roof Rats

COMMERCIAL
FOR LICENSED PEST CONTROL OPERATORS

Only to be used by certified pest control operators, farmers and persons authorized in government-approved pest control programs.

House Mice, Norway Rats and Roof Rats usually consume a lethal dose in a single day of feeding, but it may take two or more days from time of bait consumption for these rodents to die. Rodents cease feeding after consuming a lethal dose. TERMINATOR® Mouse and Rat Place Pack is effective against anticoagulant-resistant mice and rats.

GUARANTEE: Bromethalin: 0.01%

REGISTRATION NUMBER 23762
PEST CONTROL PRODUCTS ACT

READ THE LABEL AND ATTACHED BROCHURE BEFORE USING
KEEP OUT OF REACH OF CHILDREN

Contains BITREX (an extremely bitter tasting substance that has been added to this bait to deter accidental consumption)

WARNING



POISON

NET CONTENTS: 14g bait

KEEP OUT OF REACH OF UNAUTHORIZED PERSONNEL
SEE SECONDARY PANEL FOR ADDITIONAL PRECAUTIONS

Hacco Inc.
110 Hokins Drive
Randolph, WI 53956 United States
1-800-498-5743

® Registered Trade Mark of Engage Animal Health Corporation

SECONDARY DISPLAY PANEL

PRECAUTIONS: KEEP OUT OF THE REACH OF CHILDREN, PETS AND LIVESTOCK

May be harmful or fatal if swallowed or absorbed through the skin. Do not open pre-measured place packs. Chemical-resistant gloves must be worn when disposing of dead rodents, unconsumed bait and empty containers. Avoid contact with eyes, skin or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Wash skin thoroughly with soap and water after handling. Wash contaminated clothing, separately from other laundry, with soap and hot water before reuse. **KEEP AWAY FROM FEED AND FOODSTUFFS.**

This product is toxic to fish, birds and other wildlife. Keep out of any body of water.

FIRST AID: If swallowed, call a poison control centre or doctor immediate for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Have person sip a glass of water if able to swallow. Do not give anything by mouth to an unconscious person.

If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor immediate for treatment advice.

If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor immediate for treatment advice. For all cases of human ingestion, immediately notify a physician or poison control centre. If pet or livestock poisoning is suspected, immediately contact a veterinarian. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: TERMINATOR® Mouse and Rat Place Pack is not an anticoagulant type of rodenticide. If ingested, limit absorption by either emesis or gastric lavage. Follow immediately with activated charcoal and saline cathartic orally; repeat every 6-8 hours for at least 72 hours. Activated charcoal has been shown to be effective. Animals showing signs of toxicosis should receive supportive therapy-maintain body temperature, respiration and electrolytes. Corticosteroids and osmotic diuretics (mannitol) may be beneficial.

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool, dry place away from other chemicals and food or feed. Store product not in use, in original container, in a secure location inaccessible to children and non-target animals.

DISPOSAL: Do not reuse empty container. Dispose of unused or spoiled bait in accordance with local requirements. Follow provincial instructions for any required cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

RODENT DISPOSAL: Dispose of dead rodents in garbage or by burying.

PRINCIPAL DISPLAY PANEL/SHIPPER BOX

TERMINATOR® Mouse and Rat Place Pack

Mouse and Rat Poison for Indoor Rodent Control


Kills House Mice, Norway Rats and Roof Rats

COMMERCIAL

FOR LICENSED PEST CONTROL OPERATORS

Only to be used by certified pest control operators, farmers and persons authorized in government-approved pest control programs.

House Mice, Norway Rats and Roof Rats usually consume a lethal dose in a single day of feeding, but it may take two or more days from time of bait consumption for these rodents to die. Rodents cease feeding after consuming a lethal dose. TERMINATOR® Mouse and Rat Place Pack is effective against anticoagulant-resistant mice and rats.



GUARANTEE: Bromethalin: 0.01%

REGISTRATION NUMBER 23762

PEST CONTROL PRODUCTS ACT

**READ THE LABEL AND ATTACHED BROCHURE BEFORE USING
KEEP OUT OF REACH OF CHILDREN**

Contains BITREX (an extremely bitter tasting substance that has been added to this bait to deter accidental consumption)

WARNING



POISON

NET CONTENTS: 10 cartons x 12 pouches x 14g bait

**KEEP OUT OF REACH OF UNAUTHORIZED PERSONNEL
SEE SECONDARY PANEL FOR ADDITIONAL PRECAUTIONS**

Hacco Inc.

110 Hopkins Drive

Randolph, WI 53956 United States

1-800-498-5743

® Registered Trade Mark of Engage Animal Health Corporation