

2018-1776
2018-06-21

Avian Control
BIRD REPELLENT

FOR USE ON CROP SUBGROUP 13-07B (BUSHBERRIES), GRAPES AND SWEET CORN

Liquid

ACTIVE INGREDIENT: Methyl
Anthranilate.....20%

REGISTRATION NO. 32233 PEST CONTROL PRODUCTS ACT

CAUTION – EYE IRRITANT

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

COMMERCIAL

NET CONTENTS: 3.78 – Bulk

Avian Enterprises, LLC
221 Ocean Grand Blvd., Suite 801
Jupiter, FL USA 33477
888-707-4355

ENVIRONMENTAL HAZARDS:

To reduce runoff from treated areas into aquatic habitats avoid application to areas with a moderate to steep slope, compacted soil, or clay. Avoid application when heavy rain is forecast. Contamination of aquatic areas as a result of runoff may be reduced by including a vegetative strip between the treated area and the edge of the water body.

DIRECTIONS FOR USE:

Mixing Instructions:

Make sure spray equipment is clean before mixing. Shake or stir Avian Control prior to adding to spray tank. Add a sufficient amount of water to the spray tank. Mix thoroughly. Do not use undiluted. Mix outside or in a ventilated area. The addition of a non-ionic surfactant is permitted where indicated on the label.

Application Rates:

To reduce feeding damage to ripening Crop Subgroup 13-07B (Bushberries), grapes and sweet corn caused by birds, including blackbirds, blue jays, cardinals, finches, robins, sparrows, starlings and wrens.

Crop	Rate (L product/ha)	Crop Specific Instructions
------	---------------------	----------------------------

<p>Grapes, Sweet corn, Crop Subgroup 13-07B – Bushberries (aronia berry, highbush blueberry, lowbush blueberry, buffalo currant, Chilean guava, black currant, red currant, elderberry, European barberry, gooseberry, highbush cranberry, edible honeysuckle, huckleberry, jostaberry, Juneberry (Saskatoon berry), lingonberry, native currant, salal, sea buckthorn, as well as cultivars, varieties and/or hybrids of these commodities</p>	<p>2.4</p>	<p>Apply Avian Control to ripening fruit of Crop SubGroup 13-07B (Bushberries), grapes and sweet corn before damage by birds begins to occur. Apply in sufficient water volumes (recommended spray volume is 200 - 1000 L/ha) so that the crop, especially the fruit, receives thorough coverage. Repeat treatment at 6-8 day intervals if significant crop damage from birds begins to occur. Avian Control may be applied up to the day of harvest. Use with a non-ionic surfactant at 0.06-0.25% v/v.</p> <p>DO NOT exceed 5 applications per year.</p>
---	------------	--

Methods of Application:

DO NOT APPLY BY AIR

Apply Avian Control using conventional ground application spray equipment. For best results, ensure the product is continuously agitated and applied thoroughly to Crop SubGroup 13-07B (Bushberries), grapes and sweet corn..

Airblast Application: **DO NOT** apply during periods of dead calm. Avoid application of this product when winds are gusty. **DO NOT** direct spray above plants to be treated. Turn off outward pointing nozzles at row ends and outer rows. **DO NOT** apply when wind speed is greater than 16 km/h at the application site as measured outside of the treatment area on the upwind side.

Use Restrictions:

- Do not apply when fruit is wet or rain is expected.
- As this product is not registered for the control of pests in aquatic systems, **DO NOT** use to control aquatic pests.
- **DO NOT** contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

Notes:

Methyl anthranilate may result in plant damage such as leaf discoloration or leaf burn. It is recommended that a small group of plants be treated at the use rate and observed for 5-7 days to determine if damage occurs before treating a large number of plants.

External factors (e.g., susceptibility of bird species, habituation to the repellent, availability of alternative food sources, weather) may impact the ability of Avian Control to repel birds in Crop Subgroup 13-07B (Bushberries), grapes and sweet corn.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. May irritate eyes. Avoid inhaling spray mist. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling. Applicators and other handlers must wear a long-sleeved shirt, long pants, water-proof gloves, shoes plus socks, and goggles or face shield when handling, mixing/loading or applying the

product, and during all clean-up/repair activities. Mix product outside or in a ventilated area. Apply only when the potential for drift to areas of human habitation or areas of human activity such as houses, cottages, schools, and recreational areas is minimal. Take into consideration wind speed, wind direction, temperature inversions, application equipment, and sprayer settings. Allow material to dry before permitting human activity in the treated areas.

STORAGE: Store only in original container, in a dry place inaccessible to children, pets and domestic animals. To prevent contamination, store this product away from food or feed. Keep container closed when not in use.

FIRST AID:

If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If swallowed, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: There is no specific antidote for this product. Treat symptomatically.

DISPOSAL:

- 1) Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
- 2) Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
- 3) Make the empty container unsuitable for further use.
- 4) Dispose of the container in accordance with provincial requirements.
- 5) For information on the disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER: This control product is to be used only in accordance with the directions on the label. It is an offense under the *Pest Control Product Act* to use this product in a way that is inconsistent with the directions on the label.